

# SUPER GRIP

Penetration primer for preparation of low absorption substrates.

## Description

High quality acrylic water-based primer with very high penetration in porous or less porous surfaces. For increasing adhesion of cementitious adhesives, regulation of absorption and stabilization of the substrate. SUPER GRIP is a primer that finds application in a large number of substrates and coating materials

## Materials

- Cementitious adhesives
- Cementitious coatings
- Coatings of plaster
- Water soluble colors

## Substrates

- Ceramic tiles
- Mosaics
- Metal
- Natural stones
- Asbestos cement slabs
- Timber surfaces
- Cementitious plaster and rendering
- Gypsum plaster and rendering
- Cellular concrete etc.

## Specifications

Form: liquid emulsion

Color: light blue

Density:  $\approx 1,00$  kg/lit

Ph value:  $\approx 9$

Consumption:  $\approx 0,2$  Kg/ m<sup>2</sup> depending on the absorbency of the substrate.

## Substrate preparation

Ensure surfaces sufficiently stable. Remove loose, detached parts, dirt, oil and dust. Varnishes and paints must be removed completely.

## Instructions for use

SUPER GRIP can be diluted in water in a ratio of 1 part SUPER GRIP with 3 parts of water when it is to be used as a stabilizer for surfaces. Use SUPER GRIP diluted in water in a ratio of 1 part SUPER GRIP with 1 part of water in cases of dense and poorly absorbent

substrates in one coat. Apply SUPER GRIP with brush, roller or spray.

## Packaging

Plastic containers 1, 5, 20 kg

## Storage

In sheltered areas protected from frost, high temperature and direct sun exposure for at least 12 months from the date of production.

## Notes

Technical details, properties, recommendations and information on BAUER products are supplied in good faith. They are based on the company's research and experience, provided that they are stored and applied under normal conditions. As the method of using materials as well as project and environment conditions are beyond the control of the company in each individual application setting, the product user is held solely responsible for the result of application. No responsibility under any legitimate relationship can be substantiated against the company, based on the information set out hereunder. Product users are advised to refer to the latest revision of the technical manuals available.

## Other information

BAUER BUILDING TECHNOLOGIES

Megara Industrial Estate, Attica

Tel: 210 5744222

Fax: 210 5740777

Email: [info@netbauer.com](mailto:info@netbauer.com)

[http:// www.netbauer.com](http://www.netbauer.com)

Frankfurt, Reg. No 312310 QM

Qualitätsmanagementsystem

Zertifiziert nach DIN EN ISO 9001

